RXSOL

VARANASI CHEMICAL | RX MARINE INTERNATIONAL

Material Safety Data Sheet (MSDS)

RXSOL-15-1673-005
RXSOL RX 6

1. Product and Company Identifaction

www.rxmarine.com

Product Name	**Liquid Browning, Coffee Free**
Product Type	**RXSOL-41-8816-025**

Company Details:
RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Kolkata, Chennai, Visakhapatnam, Fujairah, Barka - Oman, Kenya

Phone	+91 22 27815540 / 41 / 42
Fax	+91 22 2781 1318 :::AOH :0091 9322594669
Email	mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Hazardous Ingredient	CAS	OSHA PEL	OSHA HAZARD
SodiumMetabisulfite (CAS# 7681-57-4)		N/E	N/E

3. Hazards Identification

www.rxmarine.com

Emergency Overview

Primary Entry Routes: Inhalation

Target Organs: Respiratory system, eyes, skin

Acute Effects: Acute effects to exposure of sodium metabisulfite includes eye and mucous membrane irritation. Acute poisoning from sulfur dioxide is rare because the gas is easily detected. It is so irritating that contact cannot be tolerated. Symptoms include coughing, hoarseness, sneezing, tearing, and breathing difficulty.

Inhalation: Irritant

Eye: Irritant

Skin: Irritant

4. First Aid Measures

www.rxmarine.com

Exposure Route Symptom Treatment

Inhalation: Sore throat, shortness of breath Remove from exposure to fresh air coughing, and congestion. Seek medical attention in severe cases or if recovery is not rapid.

Eye Contact: Irritation to eyes and mucous Irrigate with water until no evidence membranes. of chemical remains. Obtain medical attention.

Skin Contact: Irritation, itching, dermatitis Wash with soap and drench with water.

Remove contaminated clothing and wash before reuse.

Ingestion: Irritation to mucous membranes. Give large quantities of water or milk immediately. Obtain medical attention.

After first aid, get appropriate medical attention.

Note to physician: Exposure may aggravate acute or chronic asthma, emphysema and bronchitis. Special Precautions/Procedures: None indicated.

5. Fire-fighting Measures

www.rxmarine.com

Flash Point:	Not combustible.
Flash Point Method:	Not Applicable.
Burning Rate:	Not Applicable.
Autoignition Temperature:	Not Applicable.
LEL:	Not Applicable.
UEL:	Not Applicable.
Flammability Classification:	Not Flammable.
Extinguishing Media:	Use extinguishing agent appropriate for

Surrounding fire conditions.

Unusual Fire or Explosion Hazards:	None indicated.
Hazardous Combustion Products:	May release hazardous gas.
Fire-Fighting Instructions:	Do not release runoff from fire control

methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA)
with a full face piece operated in pressure-demand or positive-pressure mode.

6. Accidental Release Measures

www.rxmarine.com

Spill Procedures: Wear appropriate PPE - See Section 8.

Small Spills: Spills can be swept and diluted with water for disposal.

7. Handling and Storage

www.rxmarine.com

Handling Precautions: Avoid contact with product. Do not breath dust or vapor.

Storage Requirements: Avoid heat or moisture. Store in areas, away from heat and moisture and protected from physical damage. Segregate
from acids and oxidizers.

8. Exposure controls and personal protection

www.rxmarine.com

Ventilation:

Provide general or local exhaust ventilation systems to maintain Airborne concentrations below OSHA limits (Sec. 2). Local exhaust ventilation
is preferred because it prevents contaminant dispersion into the work area by controlling it at the source.

Respiratory Protection:

Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on
its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen.

Protective Clothing / Equipment:

Wear protective gloves, boots, and clothing when necessary to prevent excessive skin contact. Wear protective eyeglasses or goggles,
per OSHA eye- and face-protection regulations (29 CFR 1910.133). Contaminated Equipment: Remove this material from personal protective

9. Physical and chemical properties

www.rxmarine.com

Odor :	Pungent SO2 odor
Physical State:	Liquid
Appearance:	Clear
pH as 1% solution:	2.0
Specific Gravity :	1.0504
Boiling Point:	N/E
Freezing/Melting Point:	N/E
Vapor Pressure:	N/E
Vapor Density:	N/E
Solubility in Water:	Complete

10. Stability and reactivity

www.rxmarine.com

Stability: Stable under normal conditions.

Polymerization: Hazardous polymerization will not occur.

Chemical incompatibilities: In the presence of water, or acid, Sodium Metabisulfite (and solutions) may release toxic and hazardous fumes of sulfur oxides, including sulfur dioxide. Acute poisoning from sulfur dioxide is rare because the gas is easily detected. It is so irritating that contact cannot be tolerated. Symptoms include coughing, hoarseness, sneezing, tearing, and breathing difficulty. Contact with powdered potassium, sodium metals, alkali, and oxidizing agents produce violent reactions. Reacts with water and steam to form corrosive sulfurous acid. Reacts with chlorates to form unstable chlorine dioxide. Conditions to Avoid: Avoid excessive heat, or open flame, and moisture. Hazardous Decomposition Products: May release hazardous sulfur dioxide gas.

11. Toxicological information

www.rxmarine.com

Eye Effects (rabbit): Not available.

Acute inhalation Effects (rat): Not available.

Skin Effects (rabbit): Non-corrosive.

Acute Oral Effects (rat): LD50 = 115 mg/kg

Chronic Effects: Prolonged or repeated exposure may cause dermatitis, and Sensitization reactions. Exposure to asthmatic, atopic and sulfite sensitive individuals may result in severe bronchoconstriction and reduced levels in forced expiratory volume.

12. Ecological information

www.rxmarine.com

Ecotoxicity: bisulfite is a non hazardous liquid commonly used as a waste water dechlorinating agent. High concentrations will contribute to elevated chemical oxygen demand in aquatic environments.

Environmental Transport: Soluble in water.

Environmental Degradation: Rapid biological decomposition.

Soil Absorption/Mobility: Slight.

13. Disposal considerations

www.rxmarine.com

Contain with chemical absorbent material. Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations.

All disposal must be in accordance with all federal, state and local regulations.

14. Transport information

www.rxmarine.com

No restrictions for Ground, Air, or Maritime Transportation in accordance with 49 CFR parts 100-185.

15. Regulatory information

www.rxmarine.com

All components are listed on TSCA.

16. Other information

www.rxmarine.com

This product has no established regulatory information. All regulatory information given is based on individual components of the mixture by
component number. While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without
warranty regarding its accuracy.

RX MARINE INTERNATIONAL MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not applicable N/D = Not determined N/E = Not established

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

This Safety Data Sheet is provided by RXSOL. For the most current version of this document, please visit **varanasichemical.com**. This document is prepared in accordance with GHS / OSHA HazCom standards. The information contained herein is believed to be accurate but does not purport to be all-inclusive. It is the responsibility of the user to determine the suitability of this information for their application.