



RXSOL

VARANASI CHEMICAL | RX MARINE INTERNATIONAL

RXSOL-16-1020-025

Penetrosol Penetrating Oil

Material Safety Data Sheet (MSDS)

www.rxmarine.com

1. Product and Company Identification

Product Name	RXSOL-16-1020-025
Product Type	Penetrosol

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333 / 5555 / 9999 / 27611360
Fax	+91 22 2781 1318
Email	mail@rxmarine.com
Website	www.rxmarine.com

www.rxmarine.com

2. Composition / Information on ingredients

Name	Chemical	Concentration	CAS Number	EC Number	R Phrases*	Symbols
Naphtha	(petroleum), hydrosulfurized heavy	60-100	64742-82-1	265-185-4	65, 66	Xn
Hydrotreated heavy naphthenic distillate		10-30	64742-52-5	265-155-0		
Methyl salicylate		1-5	119-36-8	204-317-7	22, 36/37/38	Xn
2-(2-Butoksyethoxy)ethanol		1-5	112-34-5	203-961-6	R36	Xi

*See Section 16

www.rxmarine.com

3. Hazards Identification

Odour: Characteristic odour, Smells of hydrocarbon
- Appearance: Liquid, colourless to yellow, insoluble in water
- Contact with eyes: Causes irritation
- Contact with skin: Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis
- Inhalation: May cause dizziness, confusion, headache or stupor
- Ingestion: The ingestion of significant quantities may cause damage to lungs

4. First Aid Measures

www.rxmarine.com

Contact with skin	Wash affected area with plenty of water
	Contaminated clothing should be laundered before reuse
Contact with eyes	If substance has got into eyes, immediately wash out with plenty of water for several minutes
	When in doubt or symptoms persist, seek medical attention
Ingestion	
-	Do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention
-	Give 200-300mls (half pint) water to drink
-	Obtain immediate medical attention
Inhalation	
	Remove patient to fresh air
	When in doubt or symptoms persist, seek medical attention
General	
	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) (S45)

5. Fire-fighting Measures

www.rxmarine.com

-	Auto-ignition point 230 deg C at 760 mm Hg
-	Flash point >63 deg C (CC)
-	Decomposition products may include carbon oxides

6. Accidental Release Measures

www.rxmarine.com

Personal Precautions	
	Wear protective clothing as per section 8
Environmental Precautions	
	Do not allow to enter public sewers and watercourses
Clean Up Actions	
	Soak up with inert absorbent
	Wash spill site with water and detergent

7. Handling and Storage

www.rxmarine.com

Handling	
----------	--

	The usual precautions for handling chemicals should be observed
Storage	
	Keep away from open flames, hot surfaces and sources of ignition.

8. Exposure controls and personal protection

www.rxmarine.com

Exposure Limits	
Naphtha (petroleum),hydrosulfurized heavy	
	TLV (TWA) 275 mg/m3 (Naphtha, low boiling, hydrogen treated)
Exposure controls	
	No special precautions are required for this product
Occupational exposure controls	
	Respiratory protection may be required under exceptional circumstances when excessive air contamination exists
	Wear plastic or rubber gloves

9. Physical and chemical properties

www.rxmarine.com

Odour:	Characteristic odour, Smells of hydrocarbon
Appearance	Liquid, colourless to yellow, insoluble in water
pH -	not applicable
Boiling point	180 °C to 270 °C at 760 mm /Hg
Vapour density	(air = 1) >1
Insoluble in water	
Specific gravity	(water=1) 0.81
Flash point	>63 deg C (CC)
Auto-ignition point	230 deg C at 760 mm Hg
Upper explosive limit	8 % (in air)
Lower explosive limit	0.6 % (in air)

10. Stability and reactivity

www.rxmarine.com

-	This article is considered stable under normal conditions
-	Keep away from naked flames, incandescent or hot surfaces
-	See Section 5

11. Toxicological information

www.rxmarine.com

Toxicological information		
---------------------------	--	--

-	No experimental data available Inhalation	
Inhalation		
-	Inhalation of solvent vapours may give rise to nausea, headaches and dizziness	
Contact with skin		
	Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis	
Contact with eyes		
	Causes irritation	
Ingestion		
	Not regarded as a potential route of exposure.	
	Aspiration hazard	
	The ingestion of significant quantities may cause damage to lungs	
Carcinogenicity		
	No evidence of carcinogenic effects	

12. Ecological information

www.rxmarine.com

Ecotoxicity	
-	This product does not contain ingredients which are classified in the EU as dangerous for the environment.
Mobility	
Persistence and Biodegradability	
-	Most components in this product are not readily biodegradable.
Bioaccumulation Potential	
-	Hydrocarbon solvents have the potential to bioaccumulate.
Other Adverse Effects	
-	No environmental problems are expected when the product is used / handled correctly. In its intended use, the product will not be released into the environment.

13. Disposal considerations

www.rxmarine.com

Classification	
-	EU Waste class: 07.01

Disposal considerations	
-	Do not discharge into drains or the environment, dispose to an authorised waste collection point
-	Disposal should be in accordance with local, state or national legislation

14. Transport information

www.rxmarine.com

Not classified as hazardous for transport

15. Regulatory information

www.rxmarine.com

Risk Phrases	
-	Harmful: may cause lung damage if swallowed (R65)
-	Repeated exposure may cause skin dryness or cracking (R66)
Safety Phrases	
-	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label (S62)
-	Avoid contact with skin (S2)
-	Do not breathe gas (S23)
-	Do not breathe vapour/fumes (S23)
-	Do not breathe spray/mists (S23)

16. Other information

www.rxmarine.com

Text of R and S phrase codes used in this safety data sheet:- R22: Harmful if swallowed; R36: Irritating to eyes; R36/37/38: Irritating to eyes, respiratory system and skin; R65: Harmful: may cause lung damage if swallowed; R66: Repeated exposure may cause skin dryness or cracking.

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents

The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties. The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer

This Safety Data Sheet is provided in compliance with The Dangerous Substances Directive (67/548/EEC)

This Safety Data Sheet is provided in compliance with The Dangerous Preparations Directive (88/379/EEC)

This Safety Data Sheet is provided in compliance with The Safety Data Sheets Directive (2001/58EC)

DISCLAIMER OF LIABILITY : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

This Safety Data Sheet is provided by RXSOL. For the most current version of this document, please visit **varanasichemical.com**. This document is prepared in accordance with GHS / OSHA HazCom standards. The information contained herein is believed to be accurate but does not purport to be all-inclusive. It is the responsibility of the user to determine the suitability of this information for their application.