



RXSOL

VARANASI CHEMICAL | RX MARINE INTERNATIONAL

RXSOL-19-6604-002

Caffeine Anhydrous

Material Safety Data Sheet (MSDS)

1. Product and Company Identification

Product Name	Caffeine Anhydrous
Part Number	RXSOL-19-6604-002

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 ::::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmraine.com

2. Composition / informationon ingredients

Substances

Synonyms	Caffeine free base 1,3,7-Trimethylxanthine 7-Methyltheophylline		
Formula	$C_8H_{10}N_4O_2$		
Molecular weight	194,19 g/mol		
CAS-No.	58-08-2		
EC-No.	200-362-1		
Index-No.	613-086-00-5		
Component	Classification	Concentration	
Caffeine			
CAS-No. 58-08-2 EC-No. 200-362-1 Index-No. 613-086-00-5	Acute Tox. 4; H302	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

3. Hazards Identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008	Acute toxicity, Oral (Category 4), H302 For the full text of the H-Statements mentioned in this Section, see Section 16.
--	---

Label elements

Signal Word	Warning
Hazard Statements	H302 Harmful if swallowed.
Precautionary Statements	P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
Supplemental Hazard Statements	None
Reduced Labeling (<= 125 ml)	
Signal Word	Warning
Hazard Statements	None
Precautionary Statements	None
Supplemental Hazard Statements	None
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4. First Aid Measures

General Advice	Consult a physician. Show this material safety data sheet to the doctor in attendance.
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In case of skin contact	Wash off with soap and plenty of water. Consult a physician.
In case of eye contact	Flush eyes with water as a precaution.
If swallowed	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

5. Fire-fighting Measures

Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
------------------------------	--

Special hazards arising from the substance or mixture	Carbon oxides Nitrogen oxides (NOx) Combustible.
Advice for firefighters	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	No data available

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Avoid breathing dust. For personal protection see section 8.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods and material for containment and cleaning up	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
Reference to other sections	For disposal see section 13.

7. Handling and Storage

Precautions for safe handling	
Advice on safe handling	Avoid contact with skin and eyes. Avoid formation of dust and aerosols.
Advice on protection against fire and explosion	Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. For precautions see section 2.2.
Conditions for safe storage, including any incompatibilities	
Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Store in cool place.
Storage class	Storage class (TRGS 510): 11: Combustible Solids
Specific end use(s)	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure controls and personal protection

Control parameters

Ingredients with workplace control parameters

Personal protective equipment

Eye/face protection	Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
---------------------	--

Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmental exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. Physical and chemical properties

Physical state	Crystalline powder
Color	Colorless
Odor	Odorless
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Flash point	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
pH	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 0,83 mPa.s at 20 °C
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Vapor pressure	No data available
Density	No data available
Relative density	1,23 at 18 °C
Relative vapor density	No data available
Particle characteristics	No data available
Explosive properties	No data available
Oxidizing properties	None
Other safety information	No data available

10. Stability and reactivity

Reactivity	No data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No data available
Conditions to avoid	No data available
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	In the event of fire: see section 5

11. Toxicological information

Acute toxicity	LD50 Oral - Rat - male and female - 367,7 mg/kg (OECD Test Guideline 401) Remarks: (Regulation (EC) No 1272/2008, Annex VI) LC50 Inhalation - Rat - male and female - 4 h - 4,94 mg/l - aerosol (OECD Test Guideline 403) LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)
Skin corrosion/irritation	Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)
Serious eye damage/eye irritation	Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)
Respiratory or skin sensitization	Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity	Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Result: positive Remarks: (ECHA) Test Type: Ames test Test system: Escherichia coli Metabolic activation: without metabolic activation Method: OECD Test Guideline 471 Result: positive Test Type: In vitro mammalian cell gene mutation test Test system: human lymphoblastoid cells Metabolic activation: without metabolic activation Method: OECD Test Guideline 476 Result: positive Test Type: In vitro mammalian cell gene mutation test Test system: human lymphoblastoid cells Metabolic activation: without metabolic activation Result: positive Remarks: (ECHA) Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Result: positive Remarks: (ECHA) Test Type: unscheduled DNA synthesis assay Test system: rat hepatocytes Metabolic activation: without metabolic activation Method: OECD Test Guideline 482 Result: positive Test Type: Micronucleus test Species: Mouse Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative Test Type: Mutagenicity (mammal cell test): micronucleus. Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Oral Method: OECD Test Guideline 474 Result: negative Test Type: sister chromatid exchange assay Species: Rat Cell type: mammary gland Application Route: inhalation (vapor) Result: negative Remarks: (ECHA) Species: Drosophila melanogaster Cell type: sperm Application Route: Inhalation Method: OECD Test Guideline 477 Result: positive Test Type: Transgenic rodent somatic cell gene mutation assay Species: Mouse Application Route: Intraperitoneal Result: negative Remarks: (ECHA)
Carcinogenicity	No data available
Reproductive toxicity	No data available
Specific target organ toxicity - single exposure	No data available

Specific target organ toxicity - repeated exposure	No data available
Aspiration hazard	No data available
Additional Information	Repeated dose toxicity - Mouse - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - 167,4 - 179,4 mg/kg Remarks: (ECHA) RTECS: EV6475000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. After absorption of toxic quantities: Diarrhea Vomiting agitation Headache Systemic effects: drop in blood pressure tachycardia Handle in accordance with good industrial hygiene and safety practice. Liver - Irregularities - Based on Human Evidence

12. Ecological information

Toxicity	
Toxicity to fish	Static test LC50 - Leuciscus idus (Golden orfe) - ca. 87 mg/l - 96 h (DIN 38412 part 15) Static test NOEC - Leuciscus idus (Golden orfe) - 46 mg/l - 96 h (DIN 38412 part 15)
Toxicity to daphnia and other aquatic invertebrates	Static test EC50 - Daphnia magna (Water flea) - 182 mg/l - 48 h (DIN 38412)
Toxicity to algae	Static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201) Static test NOEC - Desmodesmus subspicatus (green algae) - 6,25 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)
Persistence and degradability	
Biodegradability	aerobic - Exposure time 22 d Result: 90 - 100 % - Readily biodegradable. (OECD Test Guideline 301A)
Bioaccumulative potential	No data available
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	No data available
Other adverse effects	Harmful to aquatic life. Discharge into the environment must be avoided.

13. Disposal considerations

Waste Treatment Methods	
Product	Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.
Contaminated packaging	Dispose of as unused product.

14. Transport information

UN number	ADR/RID: IMDG: IATA:
UN proper shipping name	ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods
Transport hazard class(es)	ADR/RID: IMDG: IATA:
Packaging group	ADR/RID: IMDG: IATA:
Environmental hazards	ADR/RID: no IMDG Marine pollutant: no IATA: no
Special precautions for user	
Further information	Not classified as dangerous in the meaning of transport regulations.

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Chemical Safety Assessment	A Chemical Safety Assessment has been carried out for this substance.

16. Other information

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.
-------------------	---

This Safety Data Sheet is provided by RXSOL. For the most current version of this document, please visit varanasichemical.com. This document is prepared in accordance with GHS / OSHA HazCom standards. The information contained herein is believed to be accurate but does not purport to be all-inclusive. It is the responsibility of the user to determine the suitability of this information for their application.