



# RXSOL

VARANASI CHEMICAL | RX MARINE INTERNATIONAL

**RXSOL-20-2006-020**

Slop Oil Breaker

## Material Safety Data Sheet (MSDS)

[www.rxmarine.com](http://www.rxmarine.com)

### 1. Product and Company Identification

|              |                                            |
|--------------|--------------------------------------------|
| Product Name | <b>RXSOL-20-2006-020</b>                   |
| Product Type | Slop Oil Breaker - <b>Emulsion Breaker</b> |

#### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Stock Point : Mumbai, Kandla, Kolkata, Chennai, Vizag, Fujairah, Muscat, Nairobi

|       |                                                          |
|-------|----------------------------------------------------------|
| Phone | +91 22 65113333 / 5555 / 9999 / 27611360                 |
| Fax   | +91 22 2781 1318 ::::AOH :0091 9821214367                |
| Email | <a href="mailto:mail@rxmarine.com">mail@rxmarine.com</a> |

[www.rxmarine.com](http://www.rxmarine.com)

### 2. Composition / Information on ingredients

| Chemical Name                                   | Concentration | CAS Number | EC Number | R Phrases* | Symbols |
|-------------------------------------------------|---------------|------------|-----------|------------|---------|
| White spirit (de-aromatized)                    | 30-40         | 64742-48-9 | 265-150-3 | 65,66      | Xn      |
| Sodium petroleum sulphonate                     | 5-10          | 68608-26-4 | 271-781-5 | 36         | Xi      |
| Proprietary Blend of Biodegradable demulsifiers | 60-70         | -          | -         | -          | -       |

\*See Section 16

[www.rxmarine.com](http://www.rxmarine.com)

### 3. Hazards Identification

|                   |                                                                                                                    |
|-------------------|--------------------------------------------------------------------------------------------------------------------|
| Odour             | Smells of hydrocarbon.                                                                                             |
| Appearance        | Liquid, brown, insoluble in water.                                                                                 |
| Contact with eyes | Causes redness and irritation.                                                                                     |
| Contact with skin | Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis. |

|            |                                                                                                                       |
|------------|-----------------------------------------------------------------------------------------------------------------------|
| Inhalation | In cases of severe exposure, anaesthesia may develop, May cause chronic pneumonitis, May cause coughing.              |
| Ingestion  | Harmful: may cause lung damage if swallowed (R65), The ingestion of significant quantities may cause nausea/vomiting. |

#### 4. First Aid Measures

[www.rxmarine.com](http://www.rxmarine.com)

|                   |                                                                                                                                                                                                                |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Contact with skin | Remove contaminated clothing immediately and drench affected skin with plenty of water Contaminated clothing should be laundered before reuse Seek medical attention if irritation persists.                   |
| Contact with eyes | If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes Irrigate eyes thoroughly whilst lifting eyelids When in doubt or symptoms persist, seek medical attention.   |
| Ingestion         | Do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention If vomiting occurs turn patient on side Obtain immediate medical attention. |
| Inhalation        | Remove patient to fresh air Seek medical attention if ill effects occur.                                                                                                                                       |
| General           | In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) (S45).                                                                                              |

#### 5. Fire-fighting Measures

[www.rxmarine.com](http://www.rxmarine.com)

- Auto-ignition point 225 deg C at 760 mm Hg
- Flash point 66 deg C (CC)
- Decomposition products may include carbon oxides
- In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide (S43)
- Do not use water jets
- Prevent run off water from entering drains if possible
- Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback

#### 6. Accidental Release Measures

[www.rxmarine.com](http://www.rxmarine.com)

|                           |                                                                                                                            |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Personal Precautions      | Wear protective clothing as per section 8.                                                                                 |
| Environmental Precautions | Do not allow to enter public sewers and watercourses.                                                                      |
| Immediate Actions         | Contain spillage by any means possible.                                                                                    |
| Clean Up Actions          | Absorb spillage in inert material and shovel up Ventilate the area and wash spill site after material pick-up is complete. |
| Special Precautions       | Do not allow to enter public sewers and watercourses Wear protective clothing as per section 8.                            |

#### 7. Handling and Storage

[www.rxmarine.com](http://www.rxmarine.com)

|          |                                                                                              |
|----------|----------------------------------------------------------------------------------------------|
| Handling | Avoid contact with skin and eyes (S24/25) Eyewash bottles should be available See Section 8. |
|----------|----------------------------------------------------------------------------------------------|

|         |                                                                                                                                                                                     |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage | Keep only in the original container in a cool, well ventilated place (S3/9/49) Keep container tightly closed (S7) Keep away from open flames, hot surfaces and sources of ignition. |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## 8. Exposure controls and personal protection

[www.rxmarine.com](http://www.rxmarine.com)

|                                |                                                                                                                                                                                                                                                                             |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exposure Limits                | TLV (TWA) 275 mg/m3 (White spirit (de-aromatized)).                                                                                                                                                                                                                         |
| Exposure controls              | No special ventilation is required unless the product is used in a spray form.                                                                                                                                                                                              |
| Occupational exposure controls | No respiratory protection is required unless subject to contact with substance mist During fumigation/spraying wear suitable respiratory equipment (S42) Wear suitable protective clothing, including eye/face protection and gloves (neoprene or nitrile are recommended). |

## 9. Physical and chemical properties

[www.rxmarine.com](http://www.rxmarine.com)

|                       |                                   |
|-----------------------|-----------------------------------|
| Odour                 | Smells of hydrocarbon             |
| Appearance            | Liquid, brown, insoluble in water |
| pH                    | not applicable                    |
| Boiling point         | 195 °C at 760 mm /Hg              |
| Vapour pressure       | 1 mbar                            |
| Vapour density        | (air = 1) >1                      |
| Melting point         | not known                         |
| Insoluble in water    | Specific gravity /(water=1) 0.79  |
| Flash point           | 66 deg C (CC)                     |
| Auto-ignition point   | 225 deg C at 760 mm Hg            |
| Lower explosive limit | 0.6 % (in air)                    |

## 10. Stability and reactivity

[www.rxmarine.com](http://www.rxmarine.com)

- This article is considered stable under normal conditions
- Keep away from naked flames, incandescent or hot surfaces
- See Section 5

## 11. Toxicological information

[www.rxmarine.com](http://www.rxmarine.com)

|                           |                                                                                                                    |
|---------------------------|--------------------------------------------------------------------------------------------------------------------|
| Toxicological information | No experimental data available.                                                                                    |
| Inhalation                | Inhalation of solvent vapours may give rise to nausea, headaches and dizziness.                                    |
| Contact with skin         | Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis. |
| Contact with eyes         | May cause redness and irritation.                                                                                  |
| Ingestion                 | The ingestion of significant quantities may cause gastro-intestinal disturbances Aspiration hazard.                |

|                 |                                      |
|-----------------|--------------------------------------|
| Carcinogenicity | No evidence of carcinogenic effects. |
|-----------------|--------------------------------------|

## 12. Ecological information

[www.rxmarine.com](http://www.rxmarine.com)

|                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ecotoxicity                      | This product has been evaluated on its behaviour in the environment by "The TNO Institute of Environmental Sciences" (The Netherlands organisation for applied Scientific Research). Based upon their report, IMO's BCH Working Group on the Evaluation of Safety and Pollution Hazards approved this product for use as tank cleaning agent by chemical tankers. Naphtha : LC50 (fish) >100 mg/l (96 hr). EC50 (daphnia) >100 mg/l (72 hr). IC50 (algae) >100 mg/l (72 hr) |
| Mobility                         | Insoluble in water                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Persistence and Biodegradability | BOD28/COD > 60% (Naphtha) Sodium petroleum sulphonate: Not readily biodegradable                                                                                                                                                                                                                                                                                                                                                                                            |
| Bioaccumulation Potential        | No information available                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Other Adverse Effects            | No environmental problems are expected when the product is used / handled correctly. In its intended use, the product will not be released into the environment.                                                                                                                                                                                                                                                                                                            |

## 13. Disposal considerations

[www.rxmarine.com](http://www.rxmarine.com)

|                         |                                                                                                                                                                             |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Classification          | This material and/or its container must be disposed of as hazardous waste.EU Waste class: 07.01                                                                             |
| Disposal considerations | Do not discharge into drains or the environment, dispose to an authorised waste collection point Disposal should be in accordance with local, state or national legislation |

## 14. Transport information

[www.rxmarine.com](http://www.rxmarine.com)

- Not classified as hazardous for transport

## 15. Regulatory information

[www.rxmarine.com](http://www.rxmarine.com)

|                |                                                                                                                                                                                                                              |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Risk Phrases   | Harmful: may cause lung damage if swallowed (R65).Repeated exposure may cause skin dryness or cracking (R66)                                                                                                                 |
| Safety Phrases | Do not breathe spray/mists (S23) Wear suitable protective clothing, eye/face protection and gloves (S36/37/39) If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label (S62). |

## 16. Other information

[www.rxmarine.com](http://www.rxmarine.com)

Text of R and S phrase codes used in this safety data sheet:- R36: Irritating to eyes; R65: Harmful: may cause lung damage if swallowed; R66: Repeated exposure may cause skin dryness or cracking.The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer.This Safety Data Sheet is provided in

compliance with The Dangerous Substances Directive (67/548/EEC).This Safety Data Sheet is provided in compliance with The Dangerous Preparations Directive (88/379/EEC).This Safety Data Sheet is provided in compliance with The Safety Data Sheets Directive (2001/58EC).Composition information in accordance with Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents:Aliphatic hydrocarbons >30 %  
Anionic surfactants 5-15 %

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

---

This Safety Data Sheet is provided by RXSOL. For the most current version of this document, please visit **varanasichemical.com**. This document is prepared in accordance with GHS / OSHA HazCom standards. The information contained herein is believed to be accurate but does not purport to be all-inclusive. It is the responsibility of the user to determine the suitability of this information for their application.