



RXSOL

VARANASI CHEMICAL | RX MARINE INTERNATIONAL

RXSOL-41-8524-025

Fluorosil Odor Neutralizer Floral

Material Safety Data Sheet (MSDS)

1. Product and Company Identification

www.rxmarine.com

Product Name	Rxsol Tex Additive
Part Number	RXSOL-81-8189-025

Company Details:

RX MARINE INTERNATIONAL

105, A wing , BSEL , TECH PARK.[Cut](mailto:123@rxmarine.com)

VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333 / 5555 / 9999
Fax	+91 22 2781 1318 ::AOH :0091 9821214367
Email	123@rxmarine.com
Website	www.rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Synonyms : Drilling Mud Additive

Molecular formula : Mixture

Component	CAS-No.	Weight %
Crystalline Silica	14808-60-7	0.1 - 1

3. Hazards Identification

www.rxmarine.com

Physical state	:	Solid
Color	:	Black
Odor	:	No odor
OSHA Hazards	:	Carcinogen
GHS Classification	:	Carcinogenicity, Category 1A
Signal Word	:	Danger

Hazard Statements : H350i: May cause cancer by inhalation

Precautionary Statements :

Prevention:

P261: Avoid breathing dust.

P281: Use personal protective equipment as required.

NTP : Known to be human carcinogen

4. First Aid Measures

www.rxmarine.com

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Keep respiratory tract clear. Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

www.rxmarine.com

Flash point : Not applicable

Autoignition temperature : Not applicable

Unsuitable extinguishing media : High volume water jet.

Special protective equipment for fire-fighters : Wear self contained breathing apparatus for fire fighting if necessary.

Further information: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire and explosion protection : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hazardous decomposition products : Carbon oxides. Sulfur oxides.

6. Accidental Release Measures

www.rxmarine.com

Personal precautions : Use personal protective equipment. Avoid dust formation. Avoid breathing dust.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up : Keep in suitable, closed containers for disposal.

7. Handling and Storage

www.rxmarine.com

Handling

Advice on safe handling : Avoid formation of respirable particles. Do not breathe vapors/dust. Avoid exposure obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Storage

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

8. Exposure controls and personal protection

www.rxmarine.com

Ingredients	Basis	Value	Control parameters	Note
Crystalline Silica	ACGIH	TWA	0.025 mg/m ³	A2, Respirable fraction
	OSHA Z3	TWA	30mg/m ³ /%SiO ₂ +2	total dust
	OSHA Z3	TWA	250mppcf/%SiO ₂ +5	a, b, respirable
	OSHA Z3	TWA	10mg/m ³ /%SiO ₂ +2	e, respirable
	OSHA Z-1-A	TWA	0.1 mg/m ³	Respirable fraction
	OSHA Z3	TWA	0.1 mg/m ³	Respirable fraction

a :Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques.

A2 :Suspected human carcinogen

b: The percentage of crystalline silica in the formula is the amount determined from airborne samples, except in those instances in which other methods have been shown to be applicable.

e : Both concentration and percent quartz for the application of this limit are to be determined from the fraction passing a size-selector with the following characteristics: Aerodynamic diameter (unit density sphere): 2; Percent passing selector: 90 Aerodynamic diameter (unit density sphere): 2,5; Percent passing selector: 75 Aerodynamic diameter (unit density sphere): 3,5; Percent passing selector: 50 Aerodynamic diameter (unit density sphere): 5,0; Percent passing selector: 25 Aerodynamic diameter (unit density sphere): 10; Percent passing selector: 0 The measurements under this note refer to the use of an AEC (now NRC) instrument. The respirable fraction of coal dust is determined with an MRE; the figure corresponding to that of 2.4 mg/m³ in the table for coal dust is 4.5 mg/m³

Immediately Dangerous to Life or Health Concentrations (IDLH)

Substance name	CAS-No.	Control parameters	
Crystalline Silica	14808-60-7	Immediately Dangerous to Life or Health Concentration Value 50 milligram per cubic meter	

Engineering measures :

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Dusts and Mists / P100. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear as appropriate:. Protective suit. Safety shoes.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Gloves



Suit

9. Physical and chemical properties

www.rxmarine.com

Physical state	:	Solid
Color	:	Black
Odor	:	No odor
Flash point	:	Not applicable
Lower explosion limit	:	No data available
Upper explosion limit	:	No data available
Oxidizing properties	:	No

Autoignition temperature	:	Not applicable
Molecular formula	:	Mixture
Molecular Weight	:	No data available
pH	:	Not applicable
Pour point	:	Not applicable
Boiling point/boiling range	:	Not applicable
Vapor pressure	:	Not applicable
Relative density	:	1.2 - 1.5
Water solubility	:	Partly soluble
Partition coefficient: n-octanol/water	:	No data available
Viscosity, kinematic	:	Not applicable
Relative vapor density	:	Not applicable
Evaporation rate	:	Not applicable

10. Stability and reactivity

www.rxmarine.com

Chemical stability : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

Conditions to avoid : Not applicable.

Other data : No decomposition if stored and applied as directed.

11. Toxicological information

www.rxmarine.com

Further information : Chronic Health Hazard.

12. Ecological information

www.rxmarine.com

Elimination information (persistence and degradability)

Biodegradability : This material is not expected to be readily biodegradable.

Additional ecological information : This material is not expected to be harmful to aquatic organisms.

13. Disposal considerations

www.rxmarine.com

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical

or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

14. Transport information

www.rxmarine.com

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

- Not regulated as a hazardous material or Dangerous goods for transportation by this agency.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

- Not regulated as a hazardous material or Dangerous goods for transportation by this agency.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

Not regulated as a hazardous material or Dangerous goods for transportation by this agency.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

-Not regulated as a hazardous material or Dangerous goods for transportation by this agency.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

-Not regulated as a hazardous material or Dangerous goods for transportation by this agency.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

-Not regulated as a hazardous material or Dangerous goods for transportation by this agency.

15. Regulatory information

www.rxmarine.com

SARA 302 Threshold Planning Quantity : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Ingredients : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).]

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know	:	Crystalline Silica - 14808-60-7
New Jersey Right To Know	:	Crystalline Silica - 14808-60-7
California Prop. 65 Ingredients	:	WARNING! This product contains a chemical known in the State of California to cause cancer.
Europe REACH	:	On the inventory, or in compliance with the inventory
United States of America TSCA	:	On the inventory, or in compliance with the inventory
Canada DSL	:	On the inventory, or in compliance with the inventory
Australia AICS	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	On the inventory, or in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

NFPA Classification :Health Hazard: 1

Fire Hazard: 1

Reactivity Hazard: 0

16. Other information

www.rxmarine.com

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rx Marine International be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

This Safety Data Sheet is provided by RXSOL. For the most current version of this document, please visit varanasichemical.com. This document is prepared in accordance with GHS / OSHA HazCom standards. The information contained herein is believed to be accurate but does not purport to be all-inclusive. It is the responsibility of the user to determine the suitability of this information for their application.