



RXSOL

VARANASI CHEMICAL | RX MARINE INTERNATIONAL

Material Safety Data Sheet (MSDS)

RXSOL-41-8897-025

Professional Heavy Duty Coating Stripper

1. Product and Company Identification

www.rxmarine.com

Product Name	Potassium Bi Fuloride
Product Type	RXSOL-19-6237-025

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 27815540 / 41 / 42
Fax	+91 22 2781 1318 ::::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

SARA 313 Component	CAS Number	Percent Comp.	UN No	IMCO Code	Packing Group
Potassium Bi Fluoride	CAS# 7789-29-9	99	1811	8	II

3. Hazards Identification

www.rxmarine.com

Potassium Bifuloride CAS NO : 7789-29-9, UN NO : 1811, IMCO CODE : 8, PACKING GROUP : II
May be harmful if swallowed. May cause irritation. Avoid breathing vapors, or dusts. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling.

Emergency Overview:POISON! DANGER! CORROSIVE. LIQUID AND MIST CAUSE SEVERE BURNS TO ALL BODY TISSUE. MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED. INHALATION MAY CAUSE LUNG AND TOOTH DAMAGE. FLAMMABLE LIQUID AND VAPOR. CORROSIVE!

Inhalation:Inhalation of Vapors can cause Coughing, Choking, Inflammation, of the Nose, Throat,and Upper Respiratory Tract, and in Severe Cases, Pulmonary Edema, Circulatory Failure, and Death.

Ingestion:CORROSIVE! Swallowing can cause Immediate Pain and Burns of the Mouth, Throat,Esophagus, and Gastrointestinal Tract. May cause Nausea, Vomiting, and Diarrhea, and in Severe Cases, Death.

Skin:CORROSIVE! Can cause Redness, Pain, and Severe Skin Burns. Concentrated Solutions Cause Deep Ulcers

and Discolor of Skin.

CORROSIVE! Vapors are Irritating and May cause Damage to Eyes. Contact May cause Severe Burns and Permanent Eye Damage.

Chronic Exposure:Eye Contact:Long-Term Exposure to Concentrated Vapors May cause Erosion of Teeth. Long-Term Exposures Seldom Occur due to the Corrosive Properties of the Acid.

Aggravated by Exposure:Persons with Pre-Existing skin Disorders or Eye Disease May be more Susceptible to the Effects of this Substance.

4. First Aid Measures

www.rxmarine.com

May be harmful if swallowed. May cause irritation. Avoid breathing vapors, or dusts. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling

SKIN:	Remove contaminated clothing. Wash exposed area with soap and water. if irritation persists, seek medical attention.
EYES:	Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid.
INHALATION:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen
INGESTION:	If swallowed, induce vomiting immediately after giving two glasses of water. Never give anything by mouth to an unconscious person.

5. Fire-fighting Measures

www.rxmarine.com

Fire Extinguisher Type:	Any means suitable for extinguishing surrounding fire
Fire / Explosion Hazards:	None
Fire Fighting Procedure:	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing.

6. Accidental Release Measures

www.rxmarine.com

Dispose of in a manner consistent with federal, state and local regulations.

Ventilate Area of Leak or Spill. Keep Unnecessary and Unprotected People away from Area of of Spill. Wear Appropriate Personal Protective Equipment as Specified in Section 8. Contain and Recover Liquid when Possible. Collect Liquid in a Appropriate Container and Absorb with Dry Sand, Vermiculite, Earth or other Inert Substance and Package in a Suitable Container for Disposal. Do Not Flush to Sewer!

7. Handling and Storage

www.rxmarine.com

Store in a cool, dry, well-ventilated place away from incompatible materials. Wash thoroughly after handling.

8. Exposure controls and personal protection

www.rxmarine.com

Respiratory Protection	NIOSH/MSHA-approved respirator
Ventilation	Local

OTHER	Mechanical
Protective Gloves	NIOSH Approved Gloves
EYE PROTECTION	Goggles and Face Shield
Other Protective Equipment	Wear appropriate clothing to prevent skin exposure

9. Physical and chemical properties

www.rxmarine.com

BOILING POINT	information not available
VAPOR PRESSURE	information not available
MELTING POINT	information not available
VAPOR DENSITY	not available
EVAPORATION RATE	information not available
Appearance /Odors	Clear,colorless,odorless liquid
Flash Point	information not available
Specific Gravity	information not available
Percent Volatile by	~94%
Evaporation Standard	
Auto Ignition Temp	Not applicable
Lower Flamm. Limit in Air	Not applicable
Upper Flamm. Limit in Air	Not applicable
Solubility in Water	Soluble

10. Stability and reactivity

www.rxmarine.com

STABILITY	Stable
CONDITIONS TO AVOID	Contact with incompatible materials
MATERIALS TO AVOID	Oxidizers, corrosives, quinine & calcium salts
HAZARDOUS DECOMPOSITION PRODUCTS	Hydrogen fluoride gas
HAZARDOUS POLYMERIZATION	will not occur
Conditions to Avoid	None known

11. Toxicological information

www.rxmarine.com

Hydrogen Chloride - IARC Category 3, NTP Carcinogen - Known: No

12. Ecological information

www.rxmarine.com

Environmental Fate:No Information Found.

Environmental Toxicity:No Information Found.

13. Disposal considerations

www.rxmarine.com

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements..

14. Transport information

www.rxmarine.com

DOT Classification: UN1789, Hydrochloric Acid Solution, 8,PG II

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

15. Regulatory information

www.rxmarine.com

CAS# 13455-21-5 is not on the TSCA Inventory because it is a hydrate. It is considered to be listed if the CAS number for the anhydrous form is on the inventory.

16. Other information

www.rxmarine.com

Conditions aggravated/target organs: Irritation to eyes, respiratory system. Severe irritation or burns to skin and eyes. May cause cyanosis and lung injury with 1-2 day delay. Overexposure may result in fluorosis. Ingestion may cause burns to GI tract. Target organs: Skin, eyes, respiratory tract, GI tract, bones, circulatory

Flammability

Health

Reactivity

Revisions	NFPA
7/30/2010	0.1 updated msds to 16 section from 10 section msds. STN
	0

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

This Safety Data Sheet is provided by RXSOL. For the most current version of this document, please visit varanasichemical.com. This

document is prepared in accordance with GHS / OSHA HazCom standards. The information contained herein is believed to be accurate but does not purport to be all-inclusive. It is the responsibility of the user to determine the suitability of this information for their application.