



RXSOL

VARANASI CHEMICAL | RX MARINE INTERNATIONAL

Material Safety Data Sheet (MSDS)

RXSOL-61-2703-001

PLASTIC OILER FOR WWT (500 ML)

1. Product and Company Identification

www.rxmarine.com

Product Name	:	RXSOL-16-1029-210
Product Type	:	M.DET-300

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	:	+91 22 65113333 / 5555 / 9999 / 27611360
Fax	:	+91 22 2781 1318 ::::AOH :0091 9821214367
Email	:	mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Name	Cas#	WT.%	TLV.
LABSA solution. Cleaner with a proprietary composition NOT CONSIDERED HAZARDOUS under the OSHA Hazard Communication Standard CFR Title 29 1910 1200			

*See Section 16

3. Hazards Identification

www.rxmarine.com

Hazardous Polymerization	Hazardous polymerization will not occur.
--------------------------	--

4. First Aid Measures

www.rxmarine.com

Routes of Entry	Product may enter the body via eye contact, skin contact and ingestion. See Section 8
Potential Health Effects	
Eye	Eye contact may cause irritation. Avoid eye contact with product.
Skin	Skin contact may cause irritation. In case of skin irritation, wash with soap and water and discontinue use.
Ingestion	Swallowing may cause irritation of mouth and throat. It may also cause nausea. Do not taste or swallow product.

FIRST AID MEASURES	
Eye Contact	If irritation is noted, IMMEDIATELY flush eyes with a directed stream of water for at least 15 minutes while forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissue. GET IMMEDIATE MEDICAL ATTENTION IF IRRITATION OCCURS.
Skin Contact	Flush skin with water and wash with soap and water. If clothing is penetrated, immediately remove clothing and flush skin with water. Wash clothes before reuse. GET PROMPT MEDICAL ATTENTION IF IRRITATION OCCURS.
Ingestion	Do not induce vomiting. If spontaneous vomiting is inevitable, PREVENT ASPIRATION by keeping victim's head below the knees. GET IMMEDIATE MEDICAL ATTENTION
Inhalation	Remove to fresh air. If breathing is difficult, have trained person administer oxygen. If respiration stops, have trained person administer mouth-to-mouth resuscitation. GET MEDICAL ATTENTION IMMEDIATELY.

5. Fire-fighting Measures

www.rxmarine.com

Flammable Properties	Non Flammable
Flash point	N/A
Flammable Limits	Does Not Apply
Hazardous Combustion	None known.
Extinguishing Media	Water fog or fine spray, carbon dioxide, dry chemical, foam.
Fire Fighting Instructions	N/A

6. Accidental Release Measures

www.rxmarine.com

Large Spill	Contain spill. Prevent Runoff from entering drains, sewers or streams. Dispose in accordance with all applicable federal, state and local health environmental guidelines.
Spill	Contain spill. Follow same procedures as above for large spill.

7. Handling and Storage

www.rxmarine.com

Storage Temperature	Store this product below 120° F. (40° C.), preferably below 75° F. (24° C), in a cool, dry, well ventilated area away from heat, sparks, flames, oxidizers and out of direct sunlight. For best results use within 12 months. Never co-mingle with bactericides or quaternary disinfectants, as they will degrade/inactivate enzymes.
General Precautions	Keep container closed when handling or storage.

8. Exposure controls and personal protection

www.rxmarine.com

Personal Protection	
Gloves	Wear Gloves if sensitive
Safety Glasses	Keep out of eyes. Use safety glasses

9. Physical and chemical properties

www.rxmarine.com

Vapor Pressure	N/A
Vapor Density (air = 1):	N/A
Specific Gravity	N/A
Solubility in Water	Soluble
Volatile Organic	Negligible
Appearance	
pH	Normal
Boiling Point	208° - 210° F.
Flash Point:	N/A
Freezing Point	<32° F. (0° C.)
Odor	Pleasant Fragrance

10. Stability and reactivity

www.rxmarine.com

Materials to Avoid	Avoid contact with strong oxidizing and reducing agents.
Conditions to Avoid	See Section 7.
Hazardous Decomposition	Not known. See Section 5.

11. Toxicological information

www.rxmarine.com

Toxicological information	The ingestion of significant quantities may cause burning sensation.Can cause damage to the digestive system.
Inhalation	Not regarded as a potential route of exposure. Can cause damage to the respiratory system.
Contact with skin	Causes severe burns (R35)
Contact with eyes	Causes severe burns (R35)
Ingestion	The ingestion of significant quantities may cause damage to digestive system.
Carcinogenicity	No evidence of carcinogenic effects.

12. Ecological information

www.rxmarine.com

Ecotoxicity	May cause acute effects in the aquatic environment.
Mobility	Completely soluble in water.
Persistence and Biodegradability	Degrades by hydrolysis
Bioaccumulation Potential	Bioaccumulation is insignificant
Other Adverse Effects	No environmental problems are expected when the product is used / handled correctly. In its intended use, the product will not be released into the environment.

13. Disposal considerations

www.rxmarine.com

Classification	This material and/or its container must be disposed of as hazardous waste.EU Waste class: 06 02 02
Disposal considerations	Do not discharge into drains or the environment, dispose to an authorised waste collection point.Disposal should be in accordance with local, state or national legislation

14. Transport information

www.rxmarine.com

Proper Shipping Name:				
UN				
	Proper Shipping Name	Sodium hydroxide. solution		
	UN NO.	1824		
	Hazard Class	8	Packing Group	II
Road/Rail (ADR/RID)				
	Proper Shipping Name	Sodium hydroxide. solution		
	ADR UN No.	1824		
	ADR Hazard Class	8	Termcard	80S1824
Sear (IMDG)				
	Proper Shipping Name	Sodium hydroxide. solution		
	IMDG UN No.	1824		
	IMDG Hazard Class	8	IMDG Pack Group	II
	IMDG EmS	F-A, S-B	IMDG subrisk	NA
Air(ICA0/IATA)				
	ProperShippingName:	Sodiumhydroxide, solution		
	ICA0 UnNo.:	1824		
	ICA0 HazardClass.:	8	ICA0 PackingGroup.:	II
	ICA0 subrisk:	N/A	ICA0 Labels	8, CAO
	ICA0 Flashpoint:	N/A		
DOT/CFR(USDepartment ofTransportation				
	DOTProperShippingName:	Sodium hydroxide, solution		
	HazardousMaterial	Sodium hydroxide		
	Hazard Class:	8	IdentificationNumber:	UN1824
	Product RQ (lbs):	3640	DOTsubrisk:	N/A
	DOTLabels:	8	DOTFlashpoint:	N/A

15. Regulatory information

www.rxmarine.com

Risk Phrases	Causes severe burns (R35)
Safety Phrases	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice (S26).Wear suitable protective clothing, eye/face protection (S36/39).In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) (S45)

16. Other information

www.rxmarine.com

Disclaimer	The statements contained herein are offered for informational purposes only and are based upon technical data that Blulux Laboratories Pvt. Ltd. believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.
-------------------	--

This Safety Data Sheet is provided by RXSOL. For the most current version of this document, please visit varanasichemical.com. This document is prepared in accordance with GHS / OSHA HazCom standards. The information contained herein is believed to be accurate but does not purport to be all-inclusive. It is the responsibility of the user to determine the suitability of this information for their application.