



RXSOL

VARANASI CHEMICAL | RX MARINE INTERNATIONAL

RXSOL-69-4430-200
CHLOROPHENOL RED

Material Safety Data Sheet (MSDS)

1. Product and Company Identification

www.rxmarine.com

Product Name	Metal Cleaner 401
Part Number	RXSOL-34-1011-025

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone	+91 22 65113333 / 5555 / 9999 / 27611360
Fax	+91 22 2781 1318 ::::AOH :0091 9821214367
Email	mail@rxmarine.com

2. Composition / Information on ingredients

www.rxmarine.com

Component	CAS No.	EC No.	Weight %
Phosphoric acid	7664-38-2	231-633-2	10-30
2-(2- butoksyethoxy)ethanol	112-34-5	603-096-00-8	1-5
Proprietary Blend of Surfactants	-	-	> 70

3. Hazards Identification

www.rxmarine.com

Signal word:	Danger.
Hazard statement(s):	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.
Precautionary statement(s) General:	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions

Precautionary statement(s) Response:	P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor/physician/first aider. P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Precautionary statement(s) Prevention:	P260 Do not breathe mist/vapours/spray. P264 Wash all exposed external body areas thoroughly after handling. P280 Wear protective gloves, protective clothing, eye protection and face protection. P234 Keep only in original packaging.

4. First Aid Measures

www.rxmarine.com

Inhalation:	After inhalation medical attention require.
Skin Contact :	In case of contact with skin , wash immediately with plenty of water and soap Remove contaminated clothes.
Eye Contact:	Flush with running water for at least 15 minutes Immediately medical attention require.
Ingestion:	Seek medical attention , try to drink more plenty of fresh water.

5. Fire-fighting Measures

www.rxmarine.com

Suitable:	Not known , on direct exposure to heat dangrous emission of gas of COx SOx can be released.
Unsuitable:	Not applicable.
Protection of fire Fighter:	Not applicable.
Precaution for fire-fighters:	Wear protective equipment with breathing apparatus.

6. Accidental Release Measures

www.rxmarine.com

Enviroment Precaution:	Direct flow into drainage system, surface or ground water is prohibited. First of all neutralize with alkaline materials like lime powder for pH balancing between 6-10.
Cleaning Method:	Flush Spill Area with Water and avoid contact with skin and eye.

7. Handling and Storage

www.rxmarine.com

Condition to Avoid:	Non flammable but avoid direct heating.
Materials to Avoid:	Do not subject to ALKALINE medium.
Handling:	Keep Container Tightly Closed.
NOTE:	Eyewash facilities require at workplace.

8. Exposure controls and personal protection

www.rxmarine.com

Respiratory System Protection:	Approved respirator must be worn when spraying .
Eye Protection:	Strictly wear eye protection.
Hand protection:	wear PVC chemical resistance protective gloves.

9. Physical and chemical properties

www.rxmarine.com

Appearance:	Liquid.
Odour:	Not Available.
Melting point / freezing point (°C):	<0-76.
Initial boiling point and boiling range (°C):	>100-760.
Density:	g/cm ³ at 15°C: 1.20.
pH Value:	1.5 - 2.5.
Flash Point:	Not applicable.
Relative density (Water =1:)	1.150 -1.180.
Metal:	Concentrate and long touch may corrode.
Rubber:	No known effect.

10. Stability and reactivity

www.rxmarine.com

Hazardous Decomposition Products:	Do not occur if stored and used as directed. In FIRE combustion CO, CO ₂ , NH ₃ , SOX etc hazardous gas produced.
NOTE:	Avoid Contact With Alkaline Subjects.

11. Toxicological information

www.rxmarine.com

Skin Irritation:	Cause severe irritation.
Eye Irritate:	Cause severe irritation.
Sensitization:	Cause Sensitizing.
Chronic Toxicity:	Not Identified.
Carcinogenicity:	No.

12. Ecological information

www.rxmarine.com

RXSOL MB 1011 is degradable , and due to highly acidic in nature must be neutralized as per guidance and ingredients used in it.

Direct contact is Harmful to aquatic organism.

13. Disposal considerations

www.rxmarine.com

As per guide line of local rules and regulation and before disposal and neutralization pl. refer 07 article.

14. Transport information

www.rxmarine.com

Transport over land ADR/RID:	Not Classified.
Transport over inland waterways ADN/ADNR:	Not Classified.
Transport over sea IMDG:	Not Classified.

15. Regulatory information

www.rxmarine.com

Symbols of danger:	C Corrosive.
Ingredients:	Mixture.
R-phrases:	R34 : Cause burns.
S-phrases:	S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S45 : In case of accident or if you feel unwell, seek medical advice immediately.
National prescriptions:	
Water hazard class (WGK):	2 (self classification on the basis of component assessments or analogy conclusions without addition/subtraction of points for good/poor biodegradability etc.)

16. Other information

www.rxmarine.com

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This Safety Data Sheet is provided by RXSOL. For the most current version of this document, please visit varanasichemical.com. This document is prepared in accordance with GHS / OSHA HazCom standards. The information contained herein is believed to be accurate but does not purport to be all-inclusive. It is the responsibility of the user to determine the suitability of this information for their application.